

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

28013479
m34P

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods

July 1962

U. S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY

SEP 19 1962

August 30, 1962

CURRENT SERIAL RECORDS

Canned and Processed Poultry

Poultry inspected and used for canning and other processed food in July 1962 totaled 33,798,000 pounds ready-to-cook weight, compared with 28,848,000 pounds in July 1961. The quantity used July 1962 consisted of 6,173,000 pounds of young chickens, 14,597,000 pounds of mature chickens, 10,708,000 pounds of turkeys, and 2,320,000 pounds of other poultry.

Inspected Poultry

The number of head (chickens, turkeys and ducks combined) inspected under the Poultry Inspection Act carried on by the U.S.D.A. during July 1962 amounted to 179,037,000, compared with 182,520,000 in July 1961. The number of head and pounds (live weight) inspected by classes were: young chickens, 164,542,000 head, 547,502,000 pounds; mature chickens, 8,172,000 head, 39,122,000 pounds; fryer-roaster turkeys, 1,171,000 head, 10,144,000 pounds; young turkeys, 3,614,000 head, 58,986,000 pounds; old turkeys, 295,000 head, 5,227,000 pounds; and ducks 1,243,000 head, 7,858,000 pounds.

Certified Poultry

The quantity of poultry certified as wholesome in July 1962 totaled 488,343,000 pounds ready-to-cook weight of which 379,901,000 pounds were iced and 108,442,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 397,007,000 pounds; mature chickens, 26,511,000 pounds; fryer-roaster turkeys, 7,865,000 pounds; young turkeys, 47,144,000 pounds; old turkeys, 4,166,000 pounds; ducks, 5,535,000 pounds; and other poultry, 115,000 pounds.

Ante-mortem condemnations amounted to 2,001,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.32 percent; mature chickens, 0.42 percent; fryer-roaster turkeys, 0.25 percent; young turkeys, 0.12 percent; old turkeys, 0.09 percent; and ducks, 0.01 percent.

Post-mortem condemnations in July 1962 amounted to 10,137,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.67 percent; mature chickens, 2.76 percent; fryer-roaster turkeys, 1.41 percent; young turkeys, 1.23 percent; old turkeys, 1.53 percent; and ducks 1.26 percent. In July 1961, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.69 percent; mature chickens, 2.65 percent; fryer-roaster turkeys, 1.84 percent; young turkeys, 1.19 percent; old turkeys, 1.61 percent; and ducks, 2.19 percent.

UNITED STATES DEPARTMENT OF AGRICULTURE
Statistical Reporting Service
Pou 2-1 (8-62)

Crop Reporting Board
Washington, D. C.

Class	Number inspected		Pounds inspected (live weight.)				Average live weight			
	July		June		July		June		July	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	Thou.	Thou.	Thou.	pounds	pounds	pounds	pounds	Lbs.	Lbs.
Young chickens	167,482	164,542	1,022,997	1,029,298	580,770	567,666	547,502	3,486,345	3,39	3.33
Mature chickens	8,217	6,741	51,220	55,746	40,611	33,432	39,122	253,617	4.96	4.96
Total chickens	80,066	174,223	1,074,117	1,085,044	621,381	601,098	586,624	3,739,962	3.45	3.48
Fryer-roasters	901	1,244	8,672	6,618	7,576	10,794	10,144	75,866	8.41	8.66
Young turkeys	1,884	5,402	14,293	9,644	31,938	86,957	58,986	241,643	16.10	16.32
Old turkeys	864	350	2,913	2,198	16,640	5,870	5,227	55,948	16.77	17.72
Total turkeys	3,649	6,996	25,878	18,460	56,154	103,621	74,357	373,457	14.81	14.64
Ducks	1,114	1,301	5,448	5,158	7,175	8,179	7,858	34,465	6.29	6.32
Other poultry	---	---	---	---	217	179	216	1,038	---	---
Total poultry	---	---	---	---	684,927	713,077	669,055	4,148,922	---	---

Class	June 1962			July 1961			July 1962			January-July 1961			January-July 1962		
	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	375,725	45,723	421,448	373,682	38,678	412,360	355,383	41,624	397,007	2,286,400	232,852	2,519,252	2,250,767	277,061	2,527,528
Mature chickens	18,950	9,848	27,898	15,064	7,887	22,951	17,552	8,859	26,511	119,976	56,760	176,736	128,078	61,854	189,932
Total chickens	93,775	55,571	449,346	388,746	46,565	435,311	373,035	50,483	423,518	2,406,376	289,612	2,695,988	2,378,845	338,915	2,717,760
Fryer-roasters	1,717	4,118	5,835	2,193	6,164	8,357	1,591	6,274	7,865	12,429	46,673	59,102	10,730	33,991	44,721
Young turkeys	2,836	22,692	25,528	4,961	64,036	68,997	4,748	42,396	47,144	22,765	170,398	193,163	18,418	118,876	137,294
Old turkeys	1,392	11,736	13,128	469	4,184	4,653	424	3,742	4,166	3,785	41,415	45,200	3,168	30,502	33,670
Total turkeys	5,945	38,546	44,491	7,623	74,384	82,007	6,763	52,412	59,175	38,979	258,486	297,465	32,316	183,369	215,685
Ducks	90	4,928	5,018	68	5,672	5,740	101	5,434	5,535	1,027	23,252	24,279	896	22,474	23,370
Other poultry	1	114	115	2	94	96	2	113	115	20	540	560	10	597	607
Total poultry	399,811	99,159	498,970	396,439	126,715	523,154	379,901	108,442	488,343	2,446,402	571,890	3,018,292	2,412,067	545,355	2,957,422

Poultry: Condemnations of poultry slaughtered under Federal Inspection, July 1962 with comparisons

Class	Ante-mortem condemnations				Post-mortem condemnations			
	Pounds (live weight)		Pounds (live weight)		Pounds (N.Y. dressed wt.)		Pounds (N.Y. dressed wt.)	
	July 1961	July 1962	July 1961	July 1962	July 1961	July 1962	July 1961	July 1962
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Mature chickens	1,666	1,735	1,834	8,261	8,589	8,226	60,313	72,760
Total chickens	131	165	801	961	794	966	5,676	6,171
	1,797	1,900	8,635	9,222	9,383	9,192	65,989	78,931
Fryer-roasters	12	26	135	190	179	128	1.41	866
Young turkeys	111	68	287	243	931	654	1.23	2,551
Old turkeys	10	5	81	63	85	72	1.53	958
Total turkeys	133	99	503	496	1,195	854	1.28	4,375
Ducks	5	1	30	5	161	89	2.19	628
Other poultry ^{3/}	---	1	42	3	1	2	1.03	5
Total	1,935	2,001	9,169	9,726	10,740	10,137	1.68	70,997
							1.69	83,175

Poultry: Inspected for canning and other processed foods, July 1962 with comparisons ^{4/}

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight			
	June 1962		January-July 1962		June 1962		January-July 1962	
	1961	1962	1961	1962	1961	1962	1961	1962
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Mature chickens	8,150	5,529	46,062	47,960	6	3	45	36
Turkeys	16,395	13,348	128,161	120,726	6	2	14	93
	11,264	7,667	51,885	70,465	8	3	5	36
Other poultry ^{5/}	2,880	2,304	22,651	22,871	4	6	8	23
Total	38,689	28,848	248,759	262,022	24	14	30	176
								188

^{1/} Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

^{2/} Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

^{3/} Dashes mean less than 500 pounds.

^{4/} All poultry inspected for canning and other processing. Excludes raw product cut up and packaged. (Data issued currently during 1961 included raw product cut up and packaged in plants other than those in which the birds were slaughtered and eviscerated.)

^{5/} Poultry parts and fat used in canning that cannot be identified by class are included in "other poultry."

Young Chickens: Slaughtered under Federal Inspection, by regions and selected States, July 1961 and 1962

Region and State	Number inspected	Pounds inspected		Average live weight inspected 1/	Total pounds certified		Post-mortem condemnations	
		1961	1962		1961	1962	1961	1962
N. Atl.	Thou.	13,913	1,000	3.74	36,663	1,000	722	1,000
E. N. Cent.		4,966	51,653	3.76	37,562	735	1.58	1.54
W. N. Cent.		3,803	17,639	3.55	12,768	171	1.08	1.03
S. Atl.		5,722	18,600	3.25	13,333	307	1.84	1.73
S. Cent.		72,149	244,623	3.39	180,100	3,274	1.49	1.56
West.		66,500	220,366	3.31	158,885	3,808	1.93	1.80
		4,346	14,785	3.40	10,611	294	2.21	2.78
U. S.		167,482	567,666	3.39	412,360	8,589	1.69	1.67
Maine		4,861	18,475	3.80	13,325	288	1.73	1.74
Mass.		532	2,042	3.84	1,462	49	2.67	1.42
Conn.		1,263	4,468	3.54	3,012	65	1.63	1.72
N. J. 5/ 3/		---	---	---	---	---	---	---
Pa.		6,262	22,001	3.73	15,776	294	1.49	1.39
Ohio		1,551	5,652	3.64	4,108	57	1.11	1.12
Ind.		1,485	5,903	3.32	4,291	44	.82	1.14
Ill.-Mich. 4/		310	1,394	4.50	998	15	1.20	.76
Wis.		1,219	4,690	3.53	3,371	55	1.29	.87
Min.		773	2,643	3.42	2,073	42	1.82	1.36
Iowa		81	365	4.51	270	1	.37	.26
Mo.		4,743	15,150	3.19	10,664	260	1.91	1.86
Del.		7,366	26,402	3.68	19,120	328	1.38	1.47
Ma.		9,271	34,834	3.61	25,161	437	1.40	1.35
Va.		4,767	15,123	3.17	10,879	232	1.71	1.10
N. C.		17,247	57,826	3.35	43,200	621	1.20	1.39
S. C.		1,702	5,688	3.34	4,116	104	2.04	2.21
Ge.		30,160	100,021	3.32	74,171	1,502	1.67	1.83
Ky.		2,453	8,371	3.41	5,896	82	1.09	1.44
Tenn.		4,914	18,565	3.40	13,503	298	1.79	1.35
Ala.		17,071	58,134	3.41	42,408	1,201	2.31	1.80
Miss.		10,785	35,704	3.31	25,919	580	1.81	1.91
Ark.		19,274	62,050	3.22	44,074	1,119	2.01	2.01
La.-Okla.		3,007	9,431	3.30	6,855	152	1.80	1.79
Texas		8,596	28,111	3.27	21,054	376	1.49	1.56
Idaho		372	1,228	3.00	919	12	1.09	1.35
Utah 5/		---	---	---	---	---	---	---
Wash.		849	2,019	3.60	1,419	20	1.10	.82
Oreg.		---	---	---	---	---	---	---
Calif.		2,779	9,555	3.50	6,863	236	2.75	3.64

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 pounds. 4/ Combined to avoid disclosure of individual operations. 5/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young Chickens: Number condemned post-mortem by cause, by regions and selected States, July 1962

Region and State	Tuber- : culosis		Leu- : cosis		Septi- : cemia		Airsac- : culitis		Inflam- : matory		Para- : sites		Bruises		Cadaver- : inflation		Over- : scald		Decom- : position		Other : Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	2	36,778	63,395	27,308	23,241	801	9	2,247	4,927	8,781	1,123	2	50	168,664							
E. N. Cent.	---	2,627	11,661	11,047	4,105	273	17	775	1,971	2,452	429	0	1,451	36,808							
W. N. Cent.	---	2,506	18,878	25,645	14,265	316	1	1,399	4,631	8,085	327	2	276	76,331							
S. Atl.	---	109,987	131,052	267,277	46,812	2,888	9	7,975	40,528	69,073	5,823	3,574	367,332	1,052,330							
S. Cent.	2	54,602	171,875	412,498	30,993	4,092	11	12,921	59,805	77,013	7,770	1,591	206,941	1,040,114							
West.	---	2,186	26,682	58,531	12,716	1,117	1	1,128	1,814	4,373	1,316	2	13,437	123,303							
U. S.	4	208,686	423,543	802,306	132,132	9,487	48	26,445	113,676	169,777	16,788	5,171	589,487	2,497,550							
Maine	---	9,968	21,869	11,664	11,945	269	---	1,189	2,027	4,329	100	---	17	63,377							
Mass.	---	435	4,345	336	686	138	---	191	305	504	166	---	15	7,121							
Conn.	---	5,633	4,948	842	1,402	56	2	86	113	1,059	30	---	---	14,171							
N. J.	---	32	18	---	17	8	---	---	---	1	---	---	---	76							
Pa.	2	19,555	29,502	12,402	7,077	300	6	654	2,336	2,648	827	1	18	75,328							
Ohio	---	974	3,703	3,566	912	117	9	110	437	531	76	---	270	10,705							
Ind.	---	1,370	5,099	4,179	2,151	40	---	262	496	1,156	285	---	306	15,344							
Ill.-Mich 1/	---	96	635	21	5	15	---	76	239	67	6	---	27	1,187							
Wis.	---	187	2,224	3,281	1,037	101	8	327	799	698	62	---	848	9,572							
Minn.	---	421	2,019	2,322	577	90	---	138	1,134	523	---	---	23	7,247							
Iowa	---	---	11	---	22	17	---	48	7	114	36	1	---	256							
Mo.	---	2,085	16,644	23,320	13,054	208	1	1,162	3,490	7,372	291	1	253	67,881							
Del.	---	32,157	30,688	24,045	13,926	591	---	446	2,577	2,232	327	7	49	107,045							
Md.	---	26,972	39,083	20,710	10,981	881	2	858	5,031	3,696	546	258	9,031	118,049							
Va.	---	7,968	26,327	9,027	6,394	125	---	247	829	1,798	333	4	55	53,107							
N. C.	---	11,560	12,551	52,591	5,453	522	2	2,813	12,686	16,289	1,362	439	111,724	227,992							
S. C.	---	334	343	11,861	50	19	1	289	1,886	2,864	291	97	15,611	33,646							
Ga.	---	29,839	20,756	146,968	9,732	737	3	3,257	17,096	41,395	2,963	2,769	227,743	503,258							
Ky.	2	845	5,779	17,118	847	54	---	598	2,448	1,326	684	97	3,041	32,839							
Tenn.	---	4,609	7,802	7,814	835	84	---	1,046	5,490	8,240	325	96	23,732	60,073							
Ala.	---	9,643	9,551	138,155	511	363	---	1,576	10,481	17,747	1,663	333	87,232	277,255							
Miss.	---	10,364	9,398	75,677	619	418	4	2,262	5,520	17,651	1,254	759	60,656	184,582							
Ark.	---	15,055	85,563	125,807	15,482	1,217	1	3,509	23,606	16,102	1,686	175	25,966	314,169							
La.-Okla. 1/	---	3,211	18,282	15,987	3,035	530	2	1,272	1,914	3,761	563	4	141	48,702							
Texas	---	10,875	35,500	31,940	9,664	1,426	4	2,658	10,346	12,186	1,595	127	6,173	122,494							
Idaho	---	43	591	2,513	115	473	---	125	438	422	223	---	685	5,628							
Wash.	---	215	4,041	443	390	40	---	58	105	238	54	---	962	6,546							
Calif.	---	1,813	22,004	55,571	12,176	604	1	939	1,257	3,698	1,038	2	11,784	110,887							

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, July 1961 and 1962

Region and State	Number inspected	Pounds			Average		Total pounds		Post-mortem condemnations			
		Thou.	inspected (live weight)	pounds	live weight inspected 1/ 1961 : 1962	Pounds	certified (Ready-to-cook wt.)	pounds	pounds	Pounds (NYD)	Percent	
												1961 : 1962
			1,000	1,000			1,000	1,000	1,000			
N. Atl.	1,109	1,312	5,952	6,676	5.37	5.09	4,056	4,535	112	106	1.76	
E. N. Cent.	1,108	1,495	4,774	6,368	4.31	4.26	3,165	4,306	103	154	2.69	
W. N. Cent.	1,868	2,507	8,549	11,171	4.58	4.46	5,846	7,444	255	321	3.21	
S. Atl.	1,058	1,117	6,073	6,285	5.74	5.63	4,347	4,420	112	130	2.31	
S. Cent.	818	780	4,628	4,415	5.66	5.66	3,184	3,027	123	140	3.54	
West.	780	961	3,456	4,207	4.43	4.38	2,353	2,779	89	115	3.05	
U. S.	6,741	8,172	33,432	39,122	4.96	4.79	22,951	26,511	794	966	2.65	
Maine	202	192	1,342	1,240	6.65	6.45	983	911	21	26	2.32	
Conn. 3/	56	---	354	---	6.36	---	242	---	7	---	---	
N. Y.	93	112	452	492	4.85	4.40	327	340	4	7	1.56	
N. J.	328	548	1,323	2,181	4.04	3.98	816	1,337	43	41	3.64	
Pa.	259	222	1,373	1,283	5.30	5.77	930	896	22	18	1.79	
Ohio	264	411	1,187	1,763	4.50	4.29	827	1,204	29	41	2.75	
Ind.	411	444	1,763	1,963	4.29	4.42	991	1,355	31	51	1.93	
Ill.	325	490	1,370	2,005	4.22	4.09	1,126	1,346	35	46	2.87	
Mich.	31	34	130	142	4.19	4.20	89	92	3	2	2.08	
Wis.	77	116	324	495	4.18	4.26	132	309	5	14	1.61	
Minn.	816	1,110	3,445	4,565	4.22	4.11	2,329	2,981	132	164	2.98	
Iowa	122	246	542	1,067	4.46	4.34	387	733	13	25	4.29	
Mo.	457	649	2,409	3,332	5.27	5.13	1,702	2,274	38	64	2.60	
Nebr.	413	469	1,826	1,969	4.42	4.20	1,209	1,290	62	60	1.77	
Kans. 3/	49	---	278	---	5.67	---	187	---	8	---	3.77	
Del.	47	39	348	299	7.39	7.75	255	220	5	5	3.21	
Md. 3/	255	---	1,053	---	4.13	---	738	---	18	---	1.47	
Va.	100	137	592	765	5.91	5.60	418	537	14	15	1.91	
N. C.	294	333	1,742	1,921	5.92	5.77	1,235	1,334	30	37	2.71	
S. C.	28	14	168	85	6.00	6.19	111	61	3	2	2.14	
Ge.	322	306	2,092	2,038	6.50	6.65	1,537	1,452	40	44	2.31	
Tenn.	194	139	1,107	897	5.71	6.46	754	613	14	23	2.12	
Ala.	141	56	806	377	5.71	6.79	590	274	22	8	1.41	
Miss.	57	36	344	232	6.05	6.39	230	169	7	5	3.04	
Ark.	89	59	626	407	7.04	6.89	430	279	19	19	2.18	
La.-Okla.	113	162	691	882	6.12	5.44	475	601	21	38	3.47	
Texas	214	233	983	1,153	4.60	4.95	658	768	39	37	3.39	
Idaho	7	12	33	62	5.03	4.97	23	42	1	1	4.41	
Utah	33	45	123	163	3.69	3.64	89	116	2	2	2.74	
Wash.	72	145	311	651	4.35	4.50	203	426	7	13	1.85	
Oreg. 3/	78	---	347	---	4.46	---	251	---	10	---	2.53	
Calif.	589	757	2,637	3,322	4.48	4.38	1,783	2,189	69	99	2.96	
											3.32	

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by region and selected States, July 1962

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Ination	Over- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	23	2,846	10,835	48	4,832	3,796	2	251	581	1,699	238	22	0	25,173
E. N. Cent.	3,359	4,361	12,983	70	3,669	7,103	77	877	819	2,605	359	11	4,929	41,222
W. N. Cent.	16,782	5,724	18,163	93	9,314	6,780	398	1,426	1,874	4,150	696	20	13,255	78,675
S. Atl.	11	1,252	7,230	46	3,280	1,240	2	351	759	1,552	296	32	11,218	27,269
S. Cent.	42	3,248	8,683	257	5,853	1,834	95	423	464	3,744	34	6	7,446	32,129
West.	5	493	10,815	137	5,896	6,893	11	665	652	1,375	243	21	4,112	31,318
U. S.	20,222	17,924	68,709	651	32,844	27,646	585	3,993	5,149	15,125	1,866	112	40,960	235,786
Maine	---	323	1,554	---	1,274	177	---	25	41	868	11	---	---	4,273
N. Y.	---	257	654	1	264	387	---	51	104	41	178	6	---	1,943
N. J.	23	1,453	5,530	8	1,567	2,338	---	82	287	326	23	11	---	11,648
Pa.	---	447	2,086	30	952	470	2	47	89	347	14	5	---	4,489
Ohio	426	1,340	2,665	1	1,894	2,030	45	162	286	526	100	11	---	10,952
Ind.	627	1,621	4,843	6	339	2,017	11	291	438	386	60	---	1,466	13,287
Ill.	1,650	704	4,608	1	858	2,223	21	347	79	1,564	199	---	2,648	13,023
Mich.	41	3	130	58	13	129	---	21	10	19	---	---	33	457
Wis.	615	693	737	4	565	704	---	56	6	110	---	---	13	3,503
Minn.	7,363	1,738	5,336	18	3,753	4,573	104	750	725	1,667	570	11	11,081	37,689
Iowa	1,301	354	2,336	6	828	231	15	109	98	302	11	2	1,420	7,013
Mo.	929	1,996	5,492	43	2,800	1,272	206	297	999	1,194	59	4	396	15,687
Nebr.	6,954	1,626	4,297	3	1,751	676	73	251	35	953	56	3	351	17,029
Del.	---	61	346	1	193	43	---	3	15	18	1	---	---	681
Va.	---	204	1,959	7	732	302	---	3	61	91	4	---	---	3,363
N. C.	---	88	1,393	15	395	138	---	79	343	776	249	---	5,022	8,499
S. C.	---	5	4	---	9	7	2	3	5	30	---	1	257	322
Ga.	---	211	538	19	422	410	---	53	140	460	3	---	5,479	7,766
Tenn.	---	168	1,786	97	68	98	---	89	51	971	8	31	2,584	5,920
Ala.	---	22	138	9	27	32	---	7	71	138	1	1	980	1,426
Miss.	---	11	103	4	86	8	---	22	37	90	1	---	438	800
Ark.	---	146	1,164	62	615	122	2	27	32	633	---	---	278	3,081
La.-Okla.	35	984	3,173	20	2,788	415	92	114	179	811	9	4	38	8,662
Texas	---	1,901	2,232	62	2,195	264	---	154	88	933	15	1	2,097	9,942
Idaho	---	33	116	13	22	36	---	7	5	35	---	---	39	306
Utah	---	44	186	---	38	51	---	8	15	5	1	---	---	348
Wash.	5	122	1,727	---	298	576	3	19	23	194	51	---	902	3,920
Calif.	---	265	8,786	124	5,444	6,230	8	631	597	1,141	191	21	3,171	26,609

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, July 1961 and 1962

Region and State	Number inspected	Pounds		Average		Total pounds		Post-mortem condemnations			
		(live weight)		live weight		certified		:(ready-to-cook wt.)			
		1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl. 3/	116	1,411	380	12.16	16.52	1,110	296	9	---	0.71	---
E. N. Cent.	593	9,673	4,772	16.31	14.50	7,797	3,842	63	28	.72	0.65
W. N. Cent.	2,029	31,854	17,473	15.70	14.99	25,488	14,097	375	157	1.31	1.00
S. Atl.	439	6,435	4,056	14.66	16.90	5,029	3,216	67	34	1.16	.93
S. Cent.	459	7,960	4,321	17.34	15.83	6,320	3,431	77	48	1.08	1.24
West.	1,766	29,624	27,984	16.77	17.68	23,253	22,262	340	387	1.28	1.54
U. S.	5,402	86,957	58,986	16.10	16.32	68,997	47,144	931	654	1.19	1.23
Pa. 3/	96	1,086	248	11.27	16.41	859	196	9	---	.90	---
Ohio	97	1,733	574	17.81	16.77	1,383	458	8	3	.54	.61
Ind.	197	3,278	1,108	16.61	14.47	2,714	922	18	6	.60	.68
Ill.-Mich. 4/	47	857	494	18.23	14.53	691	402	7	3	.91	.68
Wis.	252	3,805	2,596	15.08	14.08	3,009	2,060	30	16	.90	.67
Minn.	1,067	16,233	10,234	15.22	14.68	13,088	8,236	199	104	1.36	1.13
Iowa	703	11,354	5,163	16.15	15.33	9,011	4,177	120	37	1.17	.80
Mo. 5/	70	1,142	---	16.31	---	875	---	20	---	1.95	---
Nebr.	117	2,047	1,544	17.47	16.23	1,655	1,262	25	12	1.33	.92
Kans. 5/	40	586	---	14.65	---	461	---	9	---	---	---
Va.	201	2,581	1,281	12.82	17.33	1,921	974	39	11	1.64	1.01
N. C.	130	2,313	2,298	17.73	18.30	1,878	1,860	18	21	.85	1.06
S. C.	63	1,024	237	16.32	19.08	820	188	7	1	.81	.60
Ga.	18	263	146	14.67	9.27	215	118	2	1	.61	.63
Ark.	147	2,609	533	17.74	13.48	2,048	411	27	8	1.13	1.74
Texas	203	3,277	2,787	16.14	16.39	2,619	2,227	33	28	1.11	1.11
Colo.	183	3,077	3,165	16.83	21.29	2,516	2,502	16	10	.59	.36
Utah	365	5,472	3,530	14.99	16.13	4,378	2,892	40	26	.82	.80
Wash. 5/	13	185	---	14.11	---	140	---	2	---	1.28	---
Oreg.	82	1,362	851	16.59	16.68	1,072	670	22	12	1.76	1.47
Calif.	1,111	19,388	20,245	17.45	17.62	15,030	16,082	260	338	1.50	1.86

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

4/ Combined to avoid disclosure of individual operations.

5/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, July 1962

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver injection	Contam- ination	Over- seal	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	1	21	3	8	---	---	1	---	8	---	---	---	42
E. N. Cent.	---	10	502	331	208	6	---	24	223	80	11	1	479	1,875
W. N. Cent.	---	33	4,575	3,301	594	28	1	137	668	513	318	5	638	10,811
S. Atl.	---	5	518	98	526	1	---	14	78	115	6	---	710	2,071
S. Cent.	---	40	1,735	699	336	7	1	8	81	139	14	117	105	3,282
West.	---	117	6,127	5,861	4,271	77	40	1,069	430	897	61	22	2,685	21,657
U. S.	---	206	13,478	10,293	5,943	119	42	1,253	1,480	1,752	410	145	4,617	39,738
Pa.	---	1	15	3	4	---	---	---	---	1	---	---	---	24
Ohio	---	2	32	41	28	1	---	---	9	5	---	---	66	184
Ind.	---	3	156	113	6	---	---	1	94	10	---	1	29	413
Ill.-Mich. 1/2	---	---	46	32	21	5	---	1	45	16	---	---	13	179
Wis.	---	5	268	145	153	---	---	22	75	49	11	---	371	1,099
Minn.	---	21	2,524	2,648	280	19	1	84	530	363	288	---	467	7,225
Iowa	---	---	1,626	494	92	7	---	33	129	111	15	4	102	2,613
Nebr.	---	11	309	146	146	2	---	13	6	24	15	1	69	742
Va.	---	3	261	27	133	---	---	1	50	6	2	---	---	483
N. C.	---	1	187	41	361	1	---	8	15	101	4	---	709	1,428
S. C.	---	---	23	27	18	---	---	3	5	1	---	---	1	78
Ga.	---	1	42	3	11	---	---	2	3	6	---	---	---	68
Ark.	---	3	181	239	5	---	---	---	21	16	---	117	36	618
Texas	---	36	1,128	355	198	6	1	8	41	57	5	---	65	1,900
Colo.	---	---	61	40	151	11	---	7	26	36	2	---	8	342
Utah	---	---	499	246	455	---	---	118	53	20	9	---	---	1,400
Oreg.	---	9	357	37	189	6	---	8	53	2	4	20	9	694
Calif.	---	108	5,171	5,517	3,472	60	40	933	295	830	46	2	2,661	19,135

1/ Combined to avoid disclosure of individual operations.

Fryer-Roaster Turkeys: Slaughtered under Federal Inspection, by regions and selected States, July 1961 and 1962

Region and State	Number inspected	Pounds		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations			
		1961	1962	1961	1962	1961	1962	1961	1962	1961	Percent 2/
N. Atl. 3/	Thou.	15	1,000	Pounds	Pounds	1,000	1,000	1,000	1,000	1,000	Percent
E. N. Cent.	2	278	21	10.50	7.33	16	82	---	1	---	1.78
W. N. Cent.	305	2,540	2,724	9.14	8.93	2,005	2,158	20	17	0.88	.69
S. Atl.	490	4,023	4,377	8.75	8.93	3,185	3,422	49	70	1.35	1.79
S. Cent.	257	2,884	2,094	8.10	8.14	2,100	1,552	100	31	3.86	1.65
West.	28	221	437	7.89	8.40	169	344	2	4	1.01	1.02
	120	1,105	402	9.21	7.73	882	307	8	5	.81	1.38
U. S.	1,244	10,794	10,144	8.68	8.66	8,357	7,865	179	128	1.84	1.41
Ohio 4/	---	---	---	---	8.03	---	311	---	2	---	.52
Wis.	242	2,225	2,324	9.21	9.10	1,761	1,847	19	15	.96	.70
Minn.	375	3,288	3,955	8.76	8.91	2,605	3,100	44	65	1.49	1.82
Iowa 4/	33	---	---	8.10	---	214	---	2	---	.97	---
Va.	325	2,629	2,094	8.09	8.14	1,892	1,552	100	31	4.21	1.62
Ark. 4/	---	---	434	---	8.28	---	342	---	4	---	.98
Calif.	104	968	309	9.32	7.65	776	234	7	4	.74	1.42

Fryer-Roaster Turkeys: Number condemned post-mortem by cause, by regions and selected States, July 1962

Region and State	Tuberc.: Leu-		Septil.-: Airsac-		Inflam-: matory		Tumors : sites		Bruises		Cadaver: ination: scald: position:		Over-: Decom-: Other : Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	2	191	---	---	28	1	---	15	2	1	---	---	---	240
E. N. Cent.	---	---	92	143	143	2	1	23	86	85	8	---	692	1,464
W. N. Cent.	72	4,374	1,021	518	518	4	---	148	218	812	221	1	278	7,667
S. Atl.	6	2,067	397	317	317	---	---	10	96	47	13	---	---	2,953
S. Cent.	---	215	20	42	42	---	---	11	20	72	32	---	19	431
West.	3	323	36	36	36	2	---	11	10	53	2	---	17	493
U. S.	85	7,500	1,566	1,084	1,084	9	1	218	432	1,070	276	1	1,006	13,248
Ohio	---	---	5	29	29	---	---	4	23	15	1	---	16	168
Wis.	1	256	87	114	114	2	1	19	63	70	7	---	676	1,296
Minn.	72	4,318	940	154	154	4	---	126	205	744	220	1	271	7,055
Va.	6	2,067	397	315	315	---	---	10	96	47	13	---	---	2,951
Ark.	---	202	18	22	22	---	---	11	20	72	32	---	15	392
Calif.	3	259	35	31	31	2	---	7	4	49	2	---	17	409

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old Turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, July 1961 and 1962

Region and State	Number inspected	Pounds		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations	
		1961	1962	1961	1962	1961	1962	1961	1962
		Thou.	Thou.	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
N. Atl.	12	13		16.83	19.85	158	209	1	1
E. N. Cent.	50	61		18.06	17.66	720	853	13	13
W. N. Cent.	91	71		16.51	16.99	1,193	976	35	20
S. Atl.	83	71		12.84	15.99	842	890	16	16
S. Cent.	9	12		15.00	18.00	106	173	3	3
West.	105	67		19.64	19.95	1,634	1,065	21	19
U. S.	350	295		16.77	17.72	4,653	4,166	85	72
Ohio	28	40		18.16	17.50	410	560	5	6
Wis.	21	17		17.46	17.08	291	234	8	6
Minn.	64	57		16.93	16.88	857	780	28	18
Iowa	10	10		16.28	18.12	124	148	2	2
Va.	53	41		12.65	15.28	524	485	8	6
Texas 3/	---	10		---	18.29	---	142	---	3
Calif.	97	67		19.11	19.95	1,469	1,065	19	19

Old Turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, July 1962

Region and State	:Tuber- :culosis:		:Leu- :cosis:		:Septi- :cemia:		:Airsac- :culitis:		:Inflam- :matory:		:Tumors		:Para- :sites:		:Bruises		:Cadaver- :ination:		:Contam- :ination:		:Over- :scald:		:Decom- :position:		:Other		:Total		
	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	: No.	
N. Atl.	:	---	2	38	---	16	---	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	62
E. N. Cent.	:	1	22	149	72	258	1	1	---	---	---	---	---	---	---	5	22	21	2	---	---	---	---	---	---	---	---	708	
W. N. Cent.	:	1	---	443	301	99	13	13	---	---	---	---	---	---	---	10	33	48	1	---	---	---	---	---	---	---	---	1,006	
S. Atl.	:	---	1	249	31	113	2	2	---	---	---	---	---	---	---	1	31	11	---	---	---	---	---	---	---	---	---	611	
S. Cent.	:	---	4	44	---	39	2	2	---	---	---	---	---	---	---	1	17	9	---	---	---	---	---	---	---	---	---	184	
West.	:	---	4	179	25	262	3	3	---	---	---	---	---	---	---	10	6	31	---	---	---	---	---	---	---	---	---	743	
U. S.	:	2	33	1,102	429	787	25	25	---	---	---	---	---	---	---	27	110	120	4	---	---	---	---	---	---	---	---	---	3,314
Ohio	:	---	15	104	8	128	1	1	---	---	---	---	---	---	---	4	7	11	2	---	---	---	---	---	---	---	---	---	313
Wis.	:	1	7	32	56	125	---	---	---	---	---	---	---	---	---	1	14	9	---	---	---	---	---	---	---	---	---	---	367
Minn.	:	1	---	391	277	89	12	12	---	---	---	---	---	---	---	8	28	47	1	---	---	---	---	---	---	---	---	---	904
Iowa	:	---	---	42	23	7	1	1	---	---	---	---	---	---	---	2	1	1	---	---	---	---	---	---	---	---	---	---	84
Va.	:	---	1	227	31	70	2	2	---	---	---	---	---	---	---	1	23	8	---	---	---	---	---	---	---	---	---	---	363
Texas	:	---	1	19	---	22	---	---	---	---	---	---	---	---	---	1	1	7	---	---	---	---	---	---	---	---	---	---	118
Calif.	:	---	4	179	25	262	3	3	---	---	---	---	---	---	---	10	6	31	---	---	---	---	---	---	---	---	---	---	743

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C.

POSTAGE AND FEES PAID

OFFICIAL BUSINESS



Growth Through Agricultural Progress

Definitions -

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.